

# NITW8.E209828 - Industrial Control Panels Certified for Canada - Component


Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

## Industrial Control Panels Certified for Canada - Component

### ROXTEC INTERNATIONAL AB

E209828

VERKO INDUSTRIOMRADE  
ROMBVAGEN 2  
KARLSKRONA, 371 23 Sweden

Marking: Company name model designation, and the Recognized Component Mark for Canada 

Note: For additional marking information, refer to the [Guide Information Page](#).

**Cabinet seals**, Model(s): CF 16 Type: 4, 4X, 12 and/or 13, CF 16 AISI 304 Type: 4, 4X, 12 and/or 13, CF 16 OPEN Type: 4, 4X, 12 and/or 13, CF 24 F1 Type: 4, 4X, 12 and/or 13, CF 32 Type: 4, 4X, 12 and/or 13, CF 8 Type: 4, 4X, 12 and/or 13, CF24 Type: 4, 4X, 12 and/or 13, ComSeal 10 Type 3, 12, and 12K, ComSeal 10 AISI 316L Type 3, 12, and 12K, ComSeal 12 Type 3, 12, and 12K, ComSeal 15 Type 3, 12, and 12K, ComSeal 16 Type 3, 12, and 12K, ComSeal 16 AISI 316L Type 3, 12, and 12K, ComSeal 30 Type 3, 12, and 12K, ComSeal 32 Type 3, 12, and 12K, ComSeal 32 AISI 316L Type 3, 12, and 12K, EzEntry 4 mini - Type: 12 and/or 13, HD 16 Ex Type 4, 4X, 12, and/or 13, HD 16 Type 4, 4X, 12, and/or 13, HD 24 Type: 4, 4X, 12 and/or 13, HD 24 Ex Type: 4, 4X, 12 and/or 13, HD 32 Type: 4, 4X, 12 and/or 13, HD 32 Ex Type: 4, 4X, 12 and/or 13, HDLC Type: 4, 4X, 12 and/or 13

**Cabinet seals**, Model(s): C RS T 25, C RS T 31, C RS T 43, C RS T 50 Type: 4, 4x, 12 and/or 13

**Cabinet seals**, Model(s): CF 16 OPEN AISI 304 Type: 4, 4X, 12 and/or 13

**Cabinet seals**, Model(s): ComSeal LW 6, ComSeal LW 12, ComSeal LW 12 FL21, ComSeal LW 16. Type 3R

**Cabinet seals**, Model(s): CRL 5<sub>i</sub>/1, CRL 5<sub>i</sub>/4, CRL 5<sub>i</sub>/5, CRL 5<sub>i</sub>/9, CRL 4<sub>i</sub>/1, CRL 4<sub>i</sub>/4, CRL 4<sub>i</sub>/5, CRL 4<sub>i</sub>/9 - Type 3R, 12, 12 K, 13

**Cabinet seals**, Model(s): EzEntry 4, EzEntry 10, EzEntry 16, EzEntry 24, EzEntry 32 - Type: 4, 4X, 12 and/or 13

**Cabinet seals**, Model(s): G followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12, 13

**Cabinet seals**, Model(s): GH followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12, 13

**Cabinet seals**, Model(s): GH, with EPDM Gasket followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12

**Cabinet seals,** Model(s): GHM followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12, 13

**Cabinet seals,** Model(s): GHM followed by 1, 2, 3, 4, 5, 6, 7 or 8 Gasket followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12

**Cabinet seals,** Model(s): RG M63/1, RG M63/4, RG M63/9 may be followed by AISI 316 - Type: 4, 4X, 12 and/or 13

**Cabinet seals,** Model(s): SF followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12, 13

**Cabinet seals,** Model(s): SF followed by 1, 2, 3, 4, 5, 6, 7 or 8 Gasket followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12

**Cabinet seals,** Model(s): SFH followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, followed by CFL 30, may be followed by BG. Type 4, 4X, 12K, 13

**Cabinet seals,** Model(s): SFHM with Trelleborg Gasket - TSL 15x6 Cellular Rubber Strip followed by 1, 2, 3, 4, 5, 6, 7 or 8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, may be followed by +1, +2, +3, +4, +5, +6, +7 or +8, followed by x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, may be followed by FL, followed by any numeral between 30 and 300, may be followed by BG. Type Rating: 4, 4X, 12, 13

**EMC Cabinet Seal,** Model(s): ComSeal 10 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 10 PE Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 12 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 12 PE Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 15 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 15 PE Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 16 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 16 PE Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 30 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 30 PE Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 32 ES Type Rating: 3, 12, or 12 K

**EMC Cabinet Seal,** Model(s): ComSeal 32 PE Type Rating: 3, 12, or 12 K

**EMC cabinet seals,** Model(s): CF 8 ES, CF 8 PE, CF 16 EMC, CF 16 EMC AISI 304, CF 16 EMC OPEN, CF 32 ES, CF 32 PE - Type: 4, 4X, 12 and/or 13

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"