



TYPE	ROWS [QTY]	H1 [mm]	H2 [mm]	Y [mm]	VERTICAL HOLES [QTY]
G 2+2xN	2	101	346	148	3
G 4+4xN	2	159.5	463	137.7	4
G 6+6xN	2	218	580	176.7	4
G 8+8xN	2	278	700	162.5	5
G 2+2+2xN	3	101	459	136.3	4
G 4+4+4xN	3	159.5	634.5	146.2	5
G 6+6+6xN	3	218	810	152	6
G 8+8+8xN	3	278	990	156.7	7
G 2+2+2+2xN	4	101	572	174	4
G 4+4+4+4xN	4	159.5	806	151.2	6
G 6+6+6+6xN	4	218	1040	165	7
G 8+8+8+8xN	4	278	1280	153.7	9

N [QTY]	W [mm]	X [mm]	HORIZONTAL HOLES [QTY]
x2	383	166.5	3
x3	513.5	154.5	4
x4	644	148.5	5
x5	774.5	181.1	5
x6	905	171	6
x7	1035.5	164.2	7
x8	1166	159.4	8
x9	1296.5	155.8	9
x10	1427	153	10


N: FRAME OPENINGS/ROW





G 8+8x3
N=3



G 8+8+8x4
N=4



C	LAYOUT CHANGED	2024-08-16	se-marfre
Rev	Type of revision	Date	Sign

General tolerances used for manufacturing shown in document DOC-002180		Designed by/date se-ronpet 2007-01-02	Latest save date 2024-08-26	Format A3	Scale	Sheet no 1 / 1	TotWeight
 www.roxtec.com		Title GH FRAME +COMBINATION FRAME				Projection method 	
		Restricted due to Information drawing			Drawing number S1010383		Rev C