







TYPE	W (mm)	H (mm)	CABLE Ø (mm)	TYPE	W (mm)	H (mm)	R (mm)
RM BG				RM BG SOLID			
RM 20 BG	20	20	0+4.0-14.5	RM 10w120/0 BG	120	10	N/A
RM 20w40 BG	40	20	0+3.5-16.5	RM 20/0 BG	20	20	N/A
RM 30 BG	30	30	0+10.0-25.0	RM 30/0 BG	30	30	N/A
RM 30H90 BG	30	90	0+10.0-25.0	RM 30H90/0 BG	30	90	N/A
RM 40 BG	40	40	0+21.5-34.5	RM 40/0 BG	40	40	N/A
RM 40H80 BG	40	80	0+21.5-34.5	RM 40H80/0 BG	40	80	N/A
RM 40 10-32 BG	40	40	0+9.5-32.5	RM 60/0 BG	60	60	N/A
RM 60 BG	60	60	0+28.0-54.0	RM 20/0 RC BG	20	20	20
RM 60 BG WOC	60	60	28.0-54.0	RM 40/0 RC BG	40	40	40
RM 60 24-54 BG	60	60	0+24.0-54.0				
RM 80 BG	80	80	0+48.0-71.0				
RM 80 BG WOC	80	80	48.0-71.0				
RM 90 BG	90	90	0+48.0-71.0				
RM 90 BG WOC	90	90	48.0-71.0				
RM 120 BG	120	120	0+67.5-99.0				
RM 120 BG WOC	120	120	67.5-99.0				

NOTE: WOC VERSIONS IS WITHOUT CORE



Rev	Type of revision	Date	Sign
G	RM 60 BG WOC ADDED	2020-10-21	se-mikgru

General tolerances used for manufacturing shown in document DOC-002180		Designed by/date se-jenboh 2011-06-29	Latest save date 2020-10-23	Format A2	Scale	Sheet no 1 / 1	TotWeight 0,1 kg
 www.roxtec.com		Title RM BG MODULE PORTFOLIO			Projection method 		Rev G
		Restricted due to Information drawing			Drawing number S1024231		