




Roxtec GH FL100 穿隔系统

这种带宽法兰的穿隔系统可栓接到不平整的结构上。

Roxtec GH FL100 是一种允许高密封密度的电缆和管道密封系统。当栓接到混凝土或砖墙/地板上时于穿隔系统可确保紧密密封。矩形钢框架有一个 100 毫米宽的法兰于可以将螺栓孔放置在远离墙壁开口的位置于以避免出现裂缝的风险。其穿隔系统可与镀锌钢 GE 扩展型框架配合使用于以适配较厚墙体的厚度。

- 防啮齿动物
- 节省空间
- 易于维护和检查



产品特性



耐火



IP/UL NEMA



气密

安装结构



混凝土



砖

安装类型



栓接

等级和证书

火灾

- E/EI 等级符合 EN 13501
- F/T 等级符合 UL 1479

密封性

- 气体: 0.1 bar 洪水
- 符合 IEC 60529 标准 IP 66/67 防护等级

框架尺寸

mm/kg

下方的不同框架只是部分选择。要了解全部的框架和配置于请访问 [roxtec.com](https://www.roxtec.com)。

标题	框架开口	密封空间	外部尺寸 W x H x D	开孔尺寸 w x h	重量	产品编号
GH 2x1 FL100 GALV KIT	1	120 x 60	332.5 x 313 x 60	148(+5/-5) x 128(+5/-5)	5.5	235118
GH 2x1 FL100 AISI316 KIT	1	120 x 60	332.5 x 313 x 60	148(+5/-5) x 128(+5/-5)	5.5	235124
GH 4x4 FL100 GALV KIT	4	120 x 120	724 x 371.5 x 60	539(+5/-5) x 187(+5/-5)	14	235133
GH 4x4 FL100 AISI316 KIT	4	120 x 120	724 x 371.5 x 60	539(+5/-5) x 187(+5/-5)	14.5	235139
GH 4x5 FL100 GALV KIT	5	120 x 120	854.5 x 371.5 x 60	670(+5/-5) x 187(+5/-5)	17.3	235134
GH 4x5 FL100 AISI316 KIT	5	120 x 120	854.5 x 371.5 x 60	670(+5/-5) x 187(+5/-5)	17.3	235140
GH 4x6 FL100 GALV KIT	6	120 x 120	985 x 371.5 x 60	800(+5/-5) x 187(+5/-5)	20	235135
GH 4x6 FL100 AISI316 KIT	6	120 x 120	985 x 371.5 x 60	800(+5/-5) x 187(+5/-5)	20	235141
GH 6x1 FL100 GALV KIT	1	120 x 180	332.5 x 430 x 60	148(+5/-5) x 245(+5/-5)	8.4	235142
GH 6x1 FL100 AISI316 KIT	1	120 x 180	332.5 x 430 x 60	148(+5/-5) x 245(+5/-5)	7.7	235148
GH 6x2 FL100 GALV KIT	2	120 x 180	463 x 430 x 60	278(+5/-5) x 245(+5/-5)	10.6	235143
GH 6x2 FL100 AISI316 KIT	2	120 x 180	463 x 430 x 60	278(+5/-5) x 245(+5/-5)	10.8	235149
GH 6x3 FL100 GALV KIT	3	120 x 180	593.5 x 430 x 60	409(+5/-5) x 245(+5/-5)	14.3	235144
GH 6x3 FL100 AISI316 KIT	3	120 x 180	593.5 x 430 x 60	409(+5/-5) x 245(+5/-5)	14.1	235150
GH 6x4 FL100 GALV KIT	4	120 x 180	724 x 430 x 60	539(+5/-5) x 245(+5/-5)	17.7	235145
GH 6x4 FL100 AISI316 KIT	4	120 x 180	724 x 430 x 60	539(+5/-5) x 245(+5/-5)	16.2	235151
GH 6x5 FL100 GALV KIT	5	120 x 180	854.5 x 430 x 60	670(+5/-5) x 245(+5/-5)	19.2	235146
GH 6x5 FL100 AISI316 KIT	5	120 x 180	854.5 x 430 x 60	670(+5/-5) x 245(+5/-5)	19.2	235152
GH 6x6 FL100 GALV KIT	6	120 x 180	985 x 430 x 60	800(+5/-5) x 245(+5/-5)	22.2	235147




标题	框架开口	密封空间	外部尺寸 WxHxD	开孔尺寸 w x h	重量	产品编号
GH 6x6 FL100 AISI316 KIT	6	120 x 180	985 x 430 x 60	800(+5/-5) x 245(+5/-5)	22.2	235153
GH 8x1 FL100 GALV KIT	1	120 x 240	332.5 x 490 x 60	148(+5/-5) x 305(+5/-5)	9.6	235154
GH 8x1 FL100 AISI316 KIT	1	120 x 240	332.5 x 490 x 60	148(+5/-5) x 305(+5/-5)	8.4	235160
GH 2x2 FL100 GALV KIT	2	120 x 60	463 x 313 x 60	278(+5/-5) x 128(+5/-5)	7.9	235119
GH 2x2 FL100 AISI316 KIT	2	120 x 60	463 x 313 x 60	278(+5/-5) x 128(+5/-5)	7.9	235125
GH 8x2 FL100 GALV KIT	2	120 x 240	463 x 490 x 60	278(+5/-5) x 305(+5/-5)	11.4	235155
GH 8x2 FL100 AISI316 KIT	2	120 x 240	463 x 490 x 60	278(+5/-5) x 305(+5/-5)	12.2	235161
GH 8x3 FL100 GALV KIT	3	120 x 240	593.5 x 490 x 60	409(+5/-5) x 305(+5/-5)	16.2	235156
GH 8x3 FL100 AISI316 KIT	3	120 x 240	593.5 x 490 x 60	409(+5/-5) x 305(+5/-5)	15	235162
GH 8x4 FL100 GALV KIT	4	120 x 240	724 x 490 x 60	539(+5/-5) x 305(+5/-5)	14	235157
GH 8x4 FL100 AISI316 KIT	4	120 x 240	724 x 490 x 60	539(+5/-5) x 305(+5/-5)	18	235163
GH 8x5 FL100 GALV KIT	5	120 x 240	854.5 x 490 x 60	670(+5/-5) x 305(+5/-5)	21.3	235158
GH 8x5 FL100 AISI316 KIT	5	120 x 240	854.5 x 490 x 60	670(+5/-5) x 305(+5/-5)	21.3	235164
GH 8x6 FL100 GALV KIT	6	120 x 240	985 x 490 x 60	800(+5/-5) x 305(+5/-5)	24.6	235159
GH 8x6 FL100 AISI316 KIT	6	120 x 240	985 x 490 x 60	800(+5/-5) x 305(+5/-5)	24.6	235165
GH 2+2x1 FL100 GALV KIT	2	120 x 60	332.5 x 424 x 60	148(+5/-5) x 241(+5/-5)	7.7	235166
GH 2+2x1 FL100 AISI316 KIT	2	120 x 60	332.5 x 424 x 60	148(+5/-5) x 241(+5/-5)	7.7	235172
GH 2+2x2 FL100 GALV KIT	4	120 x 60	463 x 426 x 60	278(+5/-5) x 241(+5/-5)	11.5	235167
GH 2+2x2 FL100 AISI316 KIT	4	120 x 60	463 x 426 x 60	278(+5/-5) x 241(+5/-5)	11.5	235173
GH 2+2x3 FL100 GALV KIT	6	120 x 60	593.5 x 426 x 60	409(+5/-5) x 241(+5/-5)	15.2	235168
GH 2+2x3 FL100 AISI316 KIT	6	120 x 60	593.5 x 426 x 60	409(+5/-5) x 241(+5/-5)	15.2	235174
GH 2+2x4 FL100 GALV KIT	8	120 x 60	724 x 426 x 60	539(+5/-5) x 241(+5/-5)	18.9	235169
GH 2+2x4 FL100 AISI316 KIT	8	120 x 60	724 x 426 x 60	539(+5/-5) x 241(+5/-5)	18.9	235175
GH 2+2x5 FL100 GALV KIT	10	120 x 60	854.5 x 426 x 60	670(+5/-5) x 241(+5/-5)	22.5	235170
GH 2+2x5 FL100 AISI316 KIT	10	120 x 60	854.5 x 426 x 60	670(+5/-5) x 241(+5/-5)	22.5	235176
GH 2x3 FL100 GALV KIT	3	120 x 60	593.5 x 313 x 60	409(+5/-5) x 128(+5/-5)	10.4	235120
GH 2x3 FL100 AISI316 KIT	3	120 x 60	593.5 x 313 x 60	409(+5/-5) x 128(+5/-5)	10.4	235126
GH 2+2x6 FL100 GALV KIT	12	120 x 60	985 x 426 x 60	800(+5/-5) x 241(+5/-5)	26.2	235171
GH 2+2x6 FL100 AISI316 KIT	12	120 x 60	985 x 426 x 60	800(+5/-5) x 241(+5/-5)	26.2	235177
GH 4+4x1 FL100 GALV KIT	2	120 x 120	332.5 x 541 x 60	148(+5/-5) x 358(+5/-5)	11.4	235178
GH 4+4x1 FL100 AISI316 KIT	2	120 x 120	332.5 x 541 x 60	148(+5/-5) x 358(+5/-5)	9.5	235184
GH 4+4x2 FL100 GALV KIT	4	120 x 120	463 x 543 x 60	278(+5/-5) x 358(+5/-5)	13.9	235179
GH 4+4x2 FL100 AISI316 KIT	4	120 x 120	463 x 543 x 60	278(+5/-5) x 358(+5/-5)	13.7	235185
GH 4+4x3 FL100 GALV KIT	6	120 x 120	593.5 x 543 x 60	409(+5/-5) x 358(+5/-5)	18.1	235180
GH 4+4x3 FL100 AISI316 KIT	6	120 x 120	593.5 x 543 x 60	409(+5/-5) x 358(+5/-5)	18.1	235186
GH 4+4x4 FL100 GALV KIT	8	120 x 120	724 x 543 x 60	539(+5/-5) x 358(+5/-5)	22.3	235181
GH 4+4x4 FL100 AISI316 KIT	8	120 x 120	724 x 543 x 60	539(+5/-5) x 358(+5/-5)	22.3	235187
GH 4+4x5 FL100 GALV KIT	10	120 x 120	854.5 x 543 x 60	670(+5/-5) x 358(+5/-5)	26.5	235182
GH 4+4x5 FL100 AISI316 KIT	10	120 x 120	854.5 x 543 x 60	670(+5/-5) x 358(+5/-5)	26.5	235188
GH 4+4x6 FL100 GALV KIT	12	120 x 120	985 x 543 x 60	800(+5/-5) x 358(+5/-5)	30.7	235183
GH 4+4x6 FL100 AISI316 KIT	12	120 x 120	985 x 543 x 60	800(+5/-5) x 358(+5/-5)	30.7	235189
GH 6+6x1 FL100 GALV KIT	2	120 x 180	332.5 x 658 x 60	148(+5/-5) x 475(+5/-5)	11.3	235190
GH 6+6x1 FL100 AISI316 KIT	2	120 x 180	332.5 x 658 x 60	148(+5/-5) x 475(+5/-5)	11.4	235196
GH 6+6x2 FL100 GALV KIT	4	120 x 180	463 x 660 x 60	278(+5/-5) x 475(+5/-5)	16.2	235191
GH 6+6x2 FL100 AISI316 KIT	4	120 x 180	463 x 660 x 60	278(+5/-5) x 475(+5/-5)	16.2	235197
GH 6+6x3 FL100 GALV KIT	6	120 x 180	593.5 x 660 x 60	409(+5/-5) x 475(+5/-5)	20.9	235192
GH 6+6x3 FL100 AISI316 KIT	6	120 x 180	593.5 x 660 x 60	409(+5/-5) x 475(+5/-5)	20.9	235198
GH 2x4 FL100 GALV KIT	4	120 x 60	724 x 313 x 60	539(+5/-5) x 128(+5/-5)	12.8	235121
GH 2x4 FL100 AISI316 KIT	4	120 x 60	724 x 313 x 60	539(+5/-5) x 128(+5/-5)	12.8	235127
GH 6+6x4 FL100 GALV KIT	8	120 x 180	724 x 660 x 60	539(+5/-5) x 475(+5/-5)	25.7	235193
GH 6+6x4 FL100 AISI316 KIT	8	120 x 180	724 x 660 x 60	539(+5/-5) x 475(+5/-5)	25.7	235199
GH 6+6x5 FL100 GALV KIT	10	120 x 180	854.5 x 660 x 60	670(+5/-5) x 475(+5/-5)	30.4	235194
GH 6+6x5 FL100 AISI316 KIT	10	120 x 180	854.5 x 660 x 60	670(+5/-5) x 475(+5/-5)	30.4	235200
GH 6+6x6 FL100 GALV KIT						235195
GH 6+6x6 FL100 AISI316 KIT	12	120 x 180	985 x 660 x 60	800(+5/-5) x 475(+5/-5)	35.2	235201
GH 8+8x1 FL100 GALV KIT	2	120 x 240	332.5 x 778 x 60	148(+5/-5) x 595(+5/-5)	13.1	235202




标题	框架开口	密封空间	外部尺寸 WxHxD	开孔尺寸 w x h	重量	产品编号
GH 8+8x1 FL100 AISI316 KIT	2	120 x 240	332.5 x 778 x 60	148(+5/-5) x 595(+5/-5)	13.1	235208
GH 8+8x2 FL100 GALV KIT	4	120 x 240	463 x 780 x 60	278(+5/-5) x 595(+5/-5)	18.5	235203
GH 8+8x2 FL100 AISI316 KIT	4	120 x 240	463 x 780 x 60	278(+5/-5) x 595(+5/-5)	18.5	235209
GH 8+8x3 FL100 GALV KIT	6	120 x 240	593.5 x 780 x 60	409(+5/-5) x 595(+5/-5)	23.9	235204
GH 8+8x3 FL100 AISI316 KIT	6	120 x 240	593.5 x 780 x 60	409(+5/-5) x 595(+5/-5)	23.9	235210
GH 8+8x4 FL100 GALV KIT	8	120 x 240	724 x 780 x 60	539(+5/-5) x 595(+5/-5)	29.2	235205
GH 8+8x4 FL100 AISI316 KIT	8	120 x 240	724 x 780 x 60	539(+5/-5) x 595(+5/-5)	29.2	235211
GH 8+8x5 FL100 GALV KIT	10	120 x 240	854.5 x 780 x 60	670(+5/-5) x 595(+5/-5)	34.5	235206
GH 8+8x5 FL100 AISI316 KIT	10	120 x 240	854.5 x 780 x 60	670(+5/-5) x 595(+5/-5)	34.5	235212
GH 8+8x6 FL100 GALV KIT	12	120 x 240	985 x 780 x 60	800(+5/-5) x 595(+5/-5)	39.8	235207
GH 8+8x6 FL100 AISI316 KIT	12	120 x 240	985 x 780 x 60	800(+5/-5) x 595(+5/-5)	39.8	235213
GH 2x5 FL100 GALV KIT	5	120 x 60	854.5 x 313 x 60	670(+5/-5) x 128(+5/-5)	15.3	235122
GH 2x5 FL100 AISI316 KIT	5	120 x 60	854.5 x 313 x 60	670(+5/-5) x 128(+5/-5)	15.3	235128
GH 2x6 FL100 GALV KIT	6	120 x 60	985 x 313 x 60	800(+5/-5) x 128(+5/-5)	17.7	235123
GH 2x6 FL100 AISI316 KIT	6	120 x 60	985 x 313 x 60	800(+5/-5) x 128(+5/-5)	17.7	235129
GH 4x1 FL100 GALV KIT	1	120 x 120	332.5 x 371.5 x 60	148(+5/-5) x 187(+5/-5)	7.5	235130
GH 4x1 FL100 AISI316 KIT	1	120 x 120	332.5 x 371.5 x 60	148(+5/-5) x 187(+5/-5)	6.4	235136
GH 4x2 FL100 GALV KIT	2	120 x 120	463 x 371.5 x 60	278(+5/-5) x 187(+5/-5)	9.6	235131
GH 4x2 FL100 AISI316 KIT	2	120 x 120	463 x 371.5 x 60	278(+5/-5) x 187(+5/-5)	9.1	235137
GH 4x3 FL100 GALV KIT	3	120 x 120	593.5 x 371.5 x 60	409(+5/-5) x 187(+5/-5)	13	235132
GH 4x3 FL100 AISI316 KIT	3	120 x 120	593.5 x 371.5 x 60	409(+5/-5) x 187(+5/-5)	11.8	235138

密封组件数据

密封组件




Multidiameter™ 多径
RM 模块



RM 盲堵模块



密封套件



隔层板



润滑脂



GE 扩展型框架



支架工具



楔形压紧件和楔形压紧套件

如需了解详细信息请访问 [roxtec.com](https://www.roxtec.com)。

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use. Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended. Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses. The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from <https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/> We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright. This document was generated on: 2025-07-03