




# Roxtec RS PPS/S yalıtım malzemesi

Tek taraftan montaj için hafif plastik boru yalıtım malzemesi.

Roxtec RS PPS/S çelik güverteler ve perdeler gibi yangın dereceli alanlarda plastik boruların bulunduğu açıklıklara yönelik bir yalıtım malzemesidir. Yalıtım malzemesi yangın durumunda duman, alev ve suyun tamamen engellenmesini sağlar ve tek taraflı montaj için onaylıdır. Geçiş soyulabilir katmanları ile farklı ölçülerdeki borulara uyandırılabilir. 119 mm'ye kadar plastik borular için.

- Hafif
- Hızlı ve kolay montaj
- Farklı ölçülerde kablo ve borulara uyandırılır



## Ürün özellikleri



Yangın sınıflamalı



Su geçirmez



Gaz geçirmez

## Montaj yapılacak yapı



Metal



Beton

## Montaj tipi



Mevcut delik



Mevcut manşon

## Derecelendirmeler ve sertifikalar

### Yangın


- IMO 2010 FTP Koduna göre A-SINIFI
- EN 45545 E60 standardına göre E/EI derecesi

### Sızdırmazlık

- Gaz: 2 Bar (katastrofik)
- Su: 4 bar (katastrofik)

## Yalıtım elemanı verileri

### Yalıtım elemanları



RS PPS/S yalıtım malzemesi




Kayganlaştırıcı

Ayrıntılı bilgi için lütfen [roxtec.com](https://www.roxtec.com) adresini ziyaret edin.



## Önceden yapılandırılmış geçiş kitleri

mm/kg



Başlık	Konfigürasyon	Açıklık boyutları Ø	Ağırlık	Madde Numarası
RS PPS/S 31 AISI316	1x (4.0-17.0)	31 - 32	0.09	PPSS000003121
RS PPS/S 43 AISI316	1x (4.0-23.0)	43 - 45	0.29	PPSS000004321
RS PPS/S 50 AISI316	1x (8.0-30.0)	50 - 52	0.37	PPSS000005021
RS PPS/S 68 AISI316	1x (26.0-48.0)	68 - 70	0.6	PPSS000006821
RS PPS/S 75 AISI316	1x (24.0-54.0)	75 - 77	0.6	PPSS000007521
RS PPS/S 100 AISI316 WOC	1x (48.0-70.0)	100 - 102	0.8	PPSS000010021
RS PPS/S 125 AISI316 WOC	1x (66.0-98.0)	125 - 127	1.4	PPSS000012521
RS PPS/S 150 AISI316 WOC	1x (93.0-119.0)	150 - 152	1.6	PPSS000015021

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use.

Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended.

Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses.

The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from <https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/>

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright.

This document was generated on: 2024-04-06