



Roxtec SF transit with SE PPS

Transit for multiple plastic pipes.

The Roxtec SE PPS with SF is an extension of a standard Roxtec transit for protection of multiple plastic pipe penetrations against the risk of fire. The seal allows for a mix of pipe materials (metal and plastic) and in some cases cables within the same opening. The transit frame has a flange which simplifies welding to unprecise holes. The standard sealing modules are adaptable to cables and pipes of different sizes and can be used to build in spare capacity in the transit.

Easy to maintain and inspect



Product characteristics





Structure of installation





Weight Art. no

6.5

9.2

13.2

16.9

26.6

36.3

18.1

26.9

36.7

11.732(+0.591/-0.591)

SEE6000000131

SFF6000000231

SFF600000331

SFF6000000112

SFF6000000212

SFF600000312

SFF6000000121

SFF6000000221

SFF600000321

Mounting type

Ratings & certificates

Fire

A-CLASS according to IMO 2010 FTP Code

Tightness

- Gas: 2.5 bar (catastrophic)
- Water: 4 bar (catastrophic)

Frame dimensions

in/lbs

v

The frame variants below are a limited selection. For the full range of frames and configurations, please visit roxtec.com.

	, 	Product	Frame openings	Packing space	External dimensions WxHxD	Aperture dimensions w x h
	H	SF 6x1 ALU	1	4.724 × 7.087	10.256 x 14.094 x 2.362	7.913(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x2 ALU	2	4.724 x 7.087	15.394 x 14.094 x 2.362	13.071(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x3 ALU	3	4.724 x 7.087	20.531 x 14.094 x 2.362	18.189(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x1 PRIMED	1	4.724 x 7.087	10.256 x 14.094 x 2.362	7.913(+0.591/-0.591) x 11.732(+0.591/-0.591)
w.		SF 6x2 PRIMED	2	4.724 × 7.087	15.394 x 14.094 x 2.362	13.071(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x3 PRIMED	3	4.724 × 7.087	20.531 x 14.094 x 2.362	18.189(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x1 AISI316	1	4.724 x 7.087	10.256 x 14.094 x 2.362	7.913(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x2 AISI316	2	4.724 x 7.087	15.394 x 14.094 x 2.362	13.071(+0.591/-0.591) x 11.732(+0.591/-0.591)
		SF 6x3 AISI316	3	4.724 x 7.087	20.531 x 14.094 x 2.362	18.189(+0.591/-0.591) x





Sealing components

Sealing components



RM module with Multidiameter



sealing kit



Stayplate

Roxtec Lubricant





Lubricant

SE PPS extension frame



Welding tools



Wedge & Wedge kit

For detailed information, please visit roxtec.com

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use.

the intended process, installation and/or use. Rottec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system was designed or intended. Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses. The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtee International AB and is protected by copyright. This document was generated on: 2025-07-05

