




Roxtec Sleeve-it™ Fire penetration seal

Fire penetration seal for single plastic pipes.

The Roxtec Sleeve-it™ Fire penetration seal is a light-weight and versatile solution. Its stainless steel casing contains intumescent material which closes off the penetration in case of fire. It is installed from one side and is openable so it can be used for both new-build and retrofit. It is available for both steel and aluminum structures.



- Light-weight
- Area efficient
- Quick and easy to install

Product characteristics



Fire rated

Structure of installation



Metal

Mounting type



Welding

Ratings & certificates

Fire

- A-CLASS according to IMO 2010 FTP Code
- B-CLASS according to IMO 2010 FTP Code

Sealing components

Sealing components



Sleeve-it™ Fire penetration seal

Accessories



fire sealant

For detailed information, please visit [roxtec.com](https://www.roxtec.com).



Pre-configured transit kits

in/lbs



SLEEVE-IT FC-MAR16M



SLEEVE-IT FC-MAR20M




SLEEVE-IT FC-MAR25M



SLEEVE-IT FC-MAR32M




SLEEVE-IT FC-MAR40M




SLEEVE-IT FC-MAR50M
(1.5")



SLEEVE-IT FC-MAR60M
(2")



SLEEVE-IT FC-MAR63M



SLEEVE-IT FC-MAR66M



SLEEVE-IT FC-MAR75M




SLEEVE-IT FC-MAR82M



SLEEVE-IT FC-MAR90M
(3")




SLEEVE-IT FC-MAR110M



SLEEVE-IT FC-MAR115M
(4")



SLEEVE-IT FC-MAR125M



SLEEVE-IT FC-MAR140M



SLEEVE-IT FC-MAR160M



SLEEVE-IT FC-MAR169M
(6")



SLEEVE-IT
FC-MAR200M



SLEEVE-IT FC-MAR219M
(8")



SLEEVE-IT FC-MAR225M



SLEEVE-IT FC-MAR16M
ALU



SLEEVE-IT FC-MAR20M
ALU



SLEEVE-IT FC-MAR25M
ALU




SLEEVE-IT FC-MAR32M
ALU




SLEEVE-IT FC-MAR40M
ALU




SLEEVE-IT FC-MAR50M
ALU (1.5")



SLEEVE-IT FC-MAR60M
ALU (2")




SLEEVE-IT FC-MAR63M
ALU



SLEEVE-IT FC-MAR66M
ALU



SLEEVE-IT FC-MAR75M
ALU



SLEEVE-IT FC-MAR82M
ALU



SLEEVE-IT FC-MAR90M
ALU (3")



SLEEVE-IT FC-MAR110M
ALU



SLEEVE-IT FC-MAR115M
ALU (4")



SLEEVE-IT FC-MAR125M
ALU



SLEEVE-IT FC-MAR140M
ALU



SLEEVE-IT FC-MAR160M
ALU



SLEEVE-IT FC-MAR169M
ALU (6")



SLEEVE-IT FC-MAR200M
ALU



SLEEVE-IT FC-MAR219M
ALU (8")



SLEEVE-IT FC-MAR225M
ALU



Product	Configuration	Aperture dimensions Ø	Weight	Art. no
SLEEV-IT FC-MAR16M	1x (0.630-0.630)	0.709 - 1.024	0.24	106239
SLEEV-IT FC-MAR20M	1x (0.787-0.787)	0.866 - 1.181	0.29	106245
SLEEV-IT FC-MAR25M	1x (0.984-0.984)	1.063 - 1.378	0.31	106247
SLEEV-IT FC-MAR32M	1x (1.260-1.260)	1.339 - 1.654	0.37	106249
SLEEV-IT FC-MAR40M	1x (1.575-1.575)	1.654 - 1.969	0.46	106251
SLEEV-IT FC-MAR50M (1.5")	1x (1.902-1.902)	1.969 - 2.283	0.79	106253
SLEEV-IT FC-MAR60M (2")	1x (2.374-2.374)	2.441 - 2.756	0.88	106255
SLEEV-IT FC-MAR63M	1x (2.480-2.480)	2.559 - 2.874	0.9	106257
SLEEV-IT FC-MAR66M	1x (2.598-2.598)	2.677 - 2.992	1.17	117916
SLEEV-IT FC-MAR75M	1x (2.953-2.953)	3.031 - 3.346	1.21	106259
SLEEV-IT FC-MAR82M	1x (3.228-3.228)	3.307 - 3.622	1.26	117919
SLEEV-IT FC-MAR90M (3")	1x (3.500-3.500)	3.583 - 3.898	1.48	106261
SLEEV-IT FC-MAR110M	1x (4.331-4.331)	4.409 - 4.724	1.83	106263
SLEEV-IT FC-MAR115M (4")	1x (4.500-4.500)	4.567 - 4.882	1.83	106265
SLEEV-IT FC-MAR125M	1x (4.921-4.921)	5 - 5.315	2.01	106267
SLEEV-IT FC-MAR140M	1x (5.512-5.512)	5.591 - 5.906	2.31	106269
SLEEV-IT FC-MAR160M	1x (6.299-6.299)	6.378 - 6.693	2.87	106271
SLEEV-IT FC-MAR169M (6")	1x (6.626-6.626)	6.693 - 7.008	3.02	106273
SLEEV-IT FC-MAR200M	1x (7.874-7.874)	7.953 - 8.268	4.1	106275
SLEEV-IT FC-MAR219M (8")	1x (8.626-8.626)	8.701 - 9.016	4.3	106278
SLEEV-IT FC-MAR225M	1x (8.858-8.858)	8.937 - 9.252	4.56	106280
SLEEV-IT FC MAR16M ALU	1x (0.630-0.630)	0.787 - 1.024	0.44	151280
SLEEV-IT FC MAR20M ALU	1x (0.787-0.787)	0.945 - 1.181	0.35	151281
SLEEV-IT FC MAR25M ALU	1x (0.984-0.984)	1.142 - 1.378	0.37	151282
SLEEV-IT FC MAR32M ALU	1x (1.260-1.260)	1.417 - 1.654	0.44	151283
SLEEV-IT FC MAR40M ALU	1x (1.575-1.575)	1.732 - 1.969	0.49	151284
SLEEV-IT FC MAR50M ALU (1.5")	1x (1.902-1.902)	2.047 - 2.283	0.66	151285
SLEEV-IT FC MAR60M ALU (2")	1x (2.374-2.374)	2.52 - 2.756	0.66	151286
SLEEV-IT FC MAR63M ALU	1x (2.480-2.480)	2.638 - 2.874	0.88	151287
SLEEV-IT FC MAR66M ALU	1x (2.598-2.598)	2.677 - 2.992	0.88	153747
SLEEV-IT FC MAR75M ALU	1x (2.953-2.953)	3.11 - 3.346	0.88	151288
SLEEV-IT FC MAR82M ALU	1x (3.228-3.228)	3.386 - 3.622	1.1	153748
SLEEV-IT FC MAR90M ALU (3")	1x (3.500-3.500)	3.661 - 3.898	1.1	151289
SLEEV-IT FC MAR110M ALU	1x (4.331-4.331)	4.409 - 4.724	1.54	151290
SLEEV-IT FC MAR115M ALU (4")	1x (4.500-4.500)	4.646 - 4.882	1.54	151291
SLEEV-IT FC MAR125M ALU	1x (4.921-4.921)	5.079 - 5.315	1.76	151292
SLEEV-IT FC MAR140M ALU	1x (5.512-5.512)	5.669 - 5.906	2.2	151293
SLEEV-IT FC MAR160M ALU	1x (6.299-6.299)	6.457 - 6.693	2.2	151294
SLEEV-IT FC MAR169M ALU (6")	1x (6.626-6.626)	6.772 - 7.008	2.43	151295
SLEEV-IT FC MAR200M ALU	1x (7.874-7.874)	8.031 - 8.268	3.31	151296
SLEEV-IT FC MAR219M ALU (8")	1x (8.626-8.626)	8.78 - 9.016	3.53	151297
SLEEV-IT FC MAR225M ALU	1x (8.858-8.858)	9.016 - 9.252	3.75	151298

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use.

Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended.

Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses.

The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from <https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/>

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright.

This document was generated on: 2026-07-31



Roxtec ® and Multidiameter ®
are registered trademarks of Roxtec
in Sweden and/or other countries.