




Roxtec Sleeve-it™ 防火穿隔密封系统

用于单根塑料管道的防火穿隔密封系统。

Roxtec Sleeve-it™ 防火穿隔密封系统是一种轻型的可开启式解决方案，可用于防火等级隔板的单根塑料管道。其穿隔系统可直接定位焊接到结构上，不需要套筒。其不锈钢外壳包含膨胀性混合材料层，在感受到火灾的热量后发生反应，在塑料管道开始软化后保护穿隔系统。由于其穿隔密封系统为可开启式，可在管道系统铺设后安装，因而非常适用于改造项目。



- 轻型
- 节省空间
- 安装快速便捷

产品特性



耐火

安装结构



金属

安装类型



焊接

等级和证书

火灾

- A 级符合 IMO 2010 FTP 规范
- B 级符合 IMO 2010 FTP 规范

密封组件数据

密封组件



Sleeve-it™ 防火穿隔密封系统

配件









防火密封剂

如需了解详细信息，请访问 [roxtec.com](https://www.roxtec.com)。



预装配的穿隔套件

mm/kg

							
SLEEVE-IT FC-MAR16M	SLEEVE-IT FC-MAR20M	SLEEVE-IT FC-MAR25M	SLEEVE-IT FC-MAR32M	SLEEVE-IT FC-MAR40M	SLEEVE-IT FC-MAR50M (1.5")	SLEEVE-IT FC-MAR60M (2")	SLEEVE-IT FC-MAR63M
							
SLEEVE-IT FC-MAR66M	SLEEVE-IT FC-MAR75M	SLEEVE-IT FC-MAR82M	SLEEVE-IT FC-MAR90M (3")	SLEEVE-IT FC-MAR110M	SLEEVE-IT FC-MAR115M (4")	SLEEVE-IT FC-MAR125M	SLEEVE-IT FC-MAR140M
							
SLEEVE-IT FC-MAR160M	SLEEVE-IT FC-MAR169M (6")	SLEEVE-IT FC-MAR200M	SLEEVE-IT FC-MAR219M (8")	SLEEVE-IT FC-MAR225M	SLEEVE-IT FC-MAR16M ALU	SLEEVE-IT FC-MAR20M ALU	SLEEVE-IT FC-MAR25M ALU
							
SLEEVE-IT FC-MAR32M ALU	SLEEVE-IT FC-MAR40M ALU	SLEEVE-IT FC-MAR50M ALU (1.5")	SLEEVE-IT FC-MAR60M ALU (2")	SLEEVE-IT FC-MAR63M ALU	SLEEVE-IT FC-MAR66M ALU	SLEEVE-IT FC-MAR75M ALU	SLEEVE-IT FC-MAR82M ALU
							
SLEEVE-IT FC-MAR90M ALU (3")	SLEEVE-IT FC-MAR110M ALU	SLEEVE-IT FC-MAR115M ALU (4")	SLEEVE-IT FC-MAR125M ALU	SLEEVE-IT FC-MAR140M ALU	SLEEVE-IT FC-MAR160M ALU	SLEEVE-IT FC-MAR169M ALU (6")	SLEEVE-IT FC-MAR200M ALU
							
SLEEVE-IT FC-MAR219M ALU (8")	SLEEVE-IT FC-MAR225M ALU						



标题	配置	开孔尺寸 Ø	重量	产品编号
SLEEV-IT FC-MAR16M	1x (16.0-16.0)	18 - 26	0.11	106239
SLEEV-IT FC-MAR20M	1x (20.0-20.0)	22 - 30	0.13	106245
SLEEV-IT FC-MAR25M	1x (25.0-25.0)	27 - 35	0.14	106247
SLEEV-IT FC-MAR32M	1x (32.0-32.0)	34 - 42	0.17	106249
SLEEV-IT FC-MAR40M	1x (40.0-40.0)	42 - 50	0.21	106251
SLEEV-IT FC-MAR50M (1.5")	1x (48.3-48.3)	50 - 58	0.36	106253
SLEEV-IT FC-MAR60M (2")	1x (60.3-60.3)	62 - 70	0.4	106255
SLEEV-IT FC-MAR63M	1x (63.0-63.0)	65 - 73	0.41	106257
SLEEV-IT FC-MAR66M	1x (66.0-66.0)	68 - 76	0.5	117916
SLEEV-IT FC-MAR75M	1x (75.0-75.0)	77 - 85	0.6	106259
SLEEV-IT FC-MAR82M	1x (82.0-82.0)	84 - 92	0.6	117919
SLEEV-IT FC-MAR90M (3")	1x (88.9-88.9)	91 - 99	0.7	106261
SLEEV-IT FC-MAR110M	1x (110.0-110.0)	112 - 120	0.8	106263
SLEEV-IT FC-MAR115M (4")	1x (114.3-114.3)	116 - 124	0.8	106265
SLEEV-IT FC-MAR125M	1x (125.0-125.0)	127 - 135	0.9	106267
SLEEV-IT FC-MAR140M	1x (140.0-140.0)	142 - 150	1	106269
SLEEV-IT FC-MAR160M	1x (160.0-160.0)	162 - 170	1.3	106271
SLEEV-IT FC-MAR169M (6")	1x (168.3-168.3)	170 - 178	1.4	106273
SLEEV-IT FC-MAR200M	1x (200.0-200.0)	202 - 210	1.9	106275
SLEEV-IT FC-MAR219M (8")	1x (219.1-219.1)	221 - 229	2	106278
SLEEV-IT FC-MAR225M	1x (225.0-225.0)	227 - 235	2.1	106280
SLEEV-IT FC MAR16M ALU	1x (16.0-16.0)	20 - 26	0.2	151280
SLEEV-IT FC MAR20M ALU	1x (20.0-20.0)	24 - 30	0.16	151281
SLEEV-IT FC MAR25M ALU	1x (25.0-25.0)	29 - 35	0.17	151282
SLEEV-IT FC MAR32M ALU	1x (32.0-32.0)	36 - 42	0.2	151283
SLEEV-IT FC MAR40M ALU	1x (40.0-40.0)	44 - 50	0.22	151284
SLEEV-IT FC MAR50M ALU (1.5")	1x (48.3-48.3)	52 - 58	0.3	151285
SLEEV-IT FC MAR60M ALU (2")	1x (60.3-60.3)	64 - 70	0.3	151286
SLEEV-IT FC MAR63M ALU	1x (63.0-63.0)	67 - 73	0.4	151287
SLEEV-IT FC MAR66M ALU	1x (66.0-66.0)	68 - 76	0.4	153747
SLEEV-IT FC MAR75M ALU	1x (75.0-75.0)	79 - 85	0.4	151288
SLEEV-IT FC MAR82M ALU	1x (82.0-82.0)	86 - 92	0.5	153748
SLEEV-IT FC MAR90M ALU (3")	1x (88.9-88.9)	93 - 99	0.5	151289
SLEEV-IT FC MAR110M ALU	1x (110.0-110.0)	112 - 120	0.7	151290
SLEEV-IT FC MAR115M ALU (4")	1x (114.3-114.3)	118 - 124	0.7	151291
SLEEV-IT FC MAR125M ALU	1x (125.0-125.0)	129 - 135	0.8	151292
SLEEV-IT FC MAR140M ALU	1x (140.0-140.0)	144 - 150	1	151293
SLEEV-IT FC MAR160M ALU	1x (160.0-160.0)	164 - 170	1	151294
SLEEV-IT FC MAR169M ALU (6")	1x (168.3-168.3)	172 - 178	1.1	151295
SLEEV-IT FC MAR200M ALU	1x (200.0-200.0)	204 - 210	1.5	151296
SLEEV-IT FC MAR219M ALU (8")	1x (219.1-219.1)	223 - 229	1.6	151297
SLEEV-IT FC MAR225M ALU	1x (225.0-225.0)	229 - 235	1.7	151298

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use. Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended. Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses. The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from <https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/> We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright. This document was generated on: 2025-07-03