



# Roxtec SRC r20 transit

Transit with metal frame for load-bearing structures.

The Roxtec SRC r20 is a cable and pipe transit with rounded corners to reduce stress concentration and the risk of cracks around the frame. The metal transit frame is available in different materials and in a single or various combinations of openings. The seal is welded to the structure. The standard sealing modules are adaptable to cables and pipes of different sizes, and can be used to build in spare capacity in the transit.





Easy to maintain and inspect

#### **Product characteristics**





Structure of installation

Mounting type





### **Ratings & certificates**

#### Fire

- A-CLASS according to IMO 2010 FTP Code
- H-CLASS according to IMO 2010 FTP Code + HC fire load curve

## **Frame dimensions**

#### mm/kg

The frame variants below are a limited selection. For the full range of frames and configurations, please visit roxtec.com.

| <b>D</b> uction     | <b>-</b>       | Packing space |                              | <b>Aperture dimensions</b><br>w x h | Weight | Art. no       |
|---------------------|----------------|---------------|------------------------------|-------------------------------------|--------|---------------|
| Product             | Frame openings |               | External dimensions<br>WxHxD |                                     |        |               |
| SRC 6x1 R20 ALU     | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) x 240(+1/-1)             | 1.1    | 5SRC000003054 |
| SRC 6x2 R20 ALU     | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) × 240(+1/-1)             | 1.9    | 5SRC000004149 |
| SRC 6x3 R20 ALU     | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 2.6    | 5SRC000011726 |
| SRC 6x1 R20 PRIMED  | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) x 240(+1/-1)             | 3.3    | SRC6000020112 |
| SRC 6x2 R20 PRIMED  | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) × 240(+1/-1)             | 5.5    | SRC6000020212 |
| SRC 6x3 R20 PRIMED  | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 7.7    | SRC6000020312 |
| SRC 6x1 R20 AISI316 | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) × 240(+1/-1)             | 3.3    | 5SRC000006106 |
| SRC 6x2 R20 AISI316 | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) x 240(+1/-1)             | 5.5    | 5SRC000006105 |
| SRC 6x3 R20 AISI316 | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 7.6    | 5SRC000006684 |
| SRC 6x1 R40 ALU     | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) × 240(+1/-1)             | 1      | 5SRC000003232 |
| SRC 6x2 R40 ALU     | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) x 240(+1/-1)             | 1.8    | 5SRC000005649 |
| SRC 6x3 R40 ALU     | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 2.6    | 5SRC000005650 |
| SRC 6x1 R40 PRIMED  | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) x 240(+1/-1)             | 3      | SRC6000040112 |
| SRC 6x2 R40 PRIMED  | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) × 240(+1/-1)             | 5.5    | SRC6000040212 |
| SRC 6x3 R40 PRIMED  | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 7.7    | SRC6000040312 |
| SRC 6x1 R40 AISI316 | 1              | 120 x 180     | 140.5 x 238 x 60             | 143(+1/-1) × 240(+1/-1)             | 3      | 5SRC000010300 |
| SRC 6x2 R40 AISI316 | 2              | 120 x 180     | 271 x 238 x 60               | 273(+1/-1) x 240(+1/-1)             | 5.1    | 5SRC000010299 |
| GRC 6x3 R40 AISI316 | 3              | 120 x 180     | 401.5 x 238 x 60             | 404(+1/-1) x 240(+1/-1)             | 7.4    | 5SRC000010298 |
|                     |                |               |                              |                                     |        |               |


### Tightness

- Gas: 2.5 bar (catastrophic)
- Water: 4 bar (catastrophic)





### **Sealing components**



For detailed information, please visit roxtec.com.

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereor, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use. Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system was designed or intended. Roxtec expressly excludes any implied warranties of mechantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses. The Roxtec groups of the Roxtec server with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from https://www.roxtec.com/en/abult-us/abult-roxtec/aeneral-terms-of-sales/

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright. This document was generated on: 2024-04-27