





Roxtec GH EMC transit


Transit for EMC, for bolting to even structures.

The Roxtec GH EMC is a cable and pipe seal ensuring electromagnetic compatibility. The rectangular steel frame is bolted onto steel or sandwich walls/floors and allows for high packing density. There is a choice between Roxtec ES sealing modules for electromagnetic shielding and PE modules that protect against conducted disturbances. Both module versions adapt to cables and pipes of different sizes. The transit can be used with a GE extension frame in galvanized steel to cover the depth of a thick wall. Roxtec EC (electrical continuity) test sticks are available to help indicate the electrical performance of the transit installation.









Product characteristics







IP/UL NEMA Fire rated

EMI protection

Structure of installation







Mounting type



Ratings & certificates

Fire



E/EI rating according to EN 13501

Tightness



IP 66/67, IP 68

Supports




Electromagnetic shielding



Potential equalization

Frame dimensions

The frame variants below are a limited selection. For the full range of frames and configurations, please visit roxtec.com.



2024-05-03







Sealing components

Sealing components







Wedge & Wedgekit ES



RM ES solid compensation



RM PE module with Multidiameter™



RM PE solid compensation module

Accessories



Accessories ES and BG



Holder tools



ES sealing kit




Lubricant



Wedge & Wedgekit



Stayplate



The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use.

the intended process, installation and/or use.
Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended.
Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect,

consequential, punitive, special, exemplary or incidental damages or losses.

The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright. This document was generated on: 2024-05-03

2/2 2024-05-03