








Moldura Roxtec CF 16 BG™

Passagem de cabos para equipotencialização e aterramento com moldura de baixo perfil.

O Roxtec CF 16 BG™ é uma vedação para entrada de cabos de baixo perfil projetada para equipotencialização e aterramento de cabos blindados e revestidos de metal. A passagem está disponível com moldura em aço inoxidável 304. Os módulos de vedação Roxtec BG™ são adaptáveis a diferentes tamanhos de cabos.

-  Resistente a roedores
-  Resistente à corrosão
-  Eficiente em área
-  Permite cabos pré-terminados
-  Adaptável a cabos e tubos de diferentes tamanhos



Características do produto



IP/UL NEMA



Segurança elétrica

Estrutura da instalação



Gabinets e invólucros

Tipo de montagem



Aparafusada

Classificações e certificados

Proteção contra vazamento

-  IP 66/67 de acordo com IEC 60529

Suporta

-  Equipotencialização e aterramento

Dimensões da moldura


mm/kg

As variantes de molduras abaixo são uma seleção limitada. Para a gama completa de molduras e configurações, acesse [roxtec.com](https://www.roxtec.com).

Título	Aberturas da moldura	Espaço de montagem	Dimensões externas WxHxD	Dimensões da abertura w x h	Peso	Art. No.
CF 16 BG AISI304	1	40 x 160	93 x 234 x 42	71(+1/-1) x 187(+2/-0.5)	1.4	216667

Dados de componente de vedação


Componentes de vedação



Módulo de compensação sólido CM BG™



Lubrificante Roxtec



Módulos CM BG™ com Multidiameter™

Para obter informações detalhadas, acesse [roxtec.com](https://www.roxtec.com).



Kits de passagem pré-configurada

mm/kg



CF 16/4 BG AISI304



CF 16/10 BG AISI304



CF 16/16 BG AISI304

Título	Configuração	Dimensões externas WxHxD	Dimensões da abertura w x h	Peso	Art. No.
CF 16/4 BG AISI304	4x (9.5-32.5)	93 x 234 x 42	71(+1/-1) x 187(+2/-0.5)	1.4	216685
CF 16/10 BG AISI304	8x (3.5-16.5), 2x (9.5-32.5)	93 x 234 x 42	71(+1/-1) x 187(+2/-0.5)	1.4	216687
CF 16/16 BG AISI304	16x (3.5-16.5)	93 x 234 x 42	71(+1/-1) x 187(+2/-0.5)	1.4	216686

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for the intended process, installation and/or use.

Roxtec gives no guarantee for the Roxtec system or any part thereof and assumes no liability for any loss or damage whatsoever, whether direct, indirect, consequential, loss of profit or otherwise, occurred or caused by the Roxtec systems or installations containing components not manufactured by an authorized manufacturer and/or occurred or caused by the use of the Roxtec system in a manner or for an application other than for which the Roxtec system was designed or intended.

Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied representations and warranties provided by statute or common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect, consequential, punitive, special, exemplary or incidental damages or losses.

The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from <https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/>

We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright.

This document was generated on: 2025-03-15