



# **Roxtec S EMC transit**

Transit for EMC, attached by welding.

The Roxtec S EMC is a multi-cable and pipe transit ensuring electromagnetic compatibility. It is available in different materials and with a single or various combinations of openings. The transit frame is produced in 10mm thick metal and is attached to the structure by welding. There is a choice between Roxtec ES modules for electromagnetic shielding and PE modules that protect against conducted disturbances. The modules adapt to a variety of cable sizes. Roxtec EC (electrical continuity) test sticks are available to help indicate the electrical performance of the transit installation.







Provides built-in spare capacity

#### **Product characteristics**











Fire rated

Watertight

Gas-tigh

IP/UL NEMA

EMI protection

### Structure of installation



Meta

Mounting type



Welding

## **Ratings & certificates**

### \_.

#### A-CLASS according to IMO 2010 FTP Code

 H-CLASS according to IMO 2010 FTP Code + HC fire load curve

#### Tightnes

Gas: 2.5 bar (catastrophic)



IP 66/67

## Supports


Electromagnetic shielding

Potential equalization

## **Frame dimensions**

## mm/kg

The frame variants below are a limited selection. For the full range of frames and configurations, please visit roxtec.com.



1/2 2024-05-01



https://www.roxtec.com/linktransit/en/solution/9612



## **Sealing components**

#### **Sealing components**



RM ES module with



Lubricant



Wedge & Wedgekit ES



RM ES solid compensation module



RM PE module with Multidiameter

#### **Accessories**



Accessories ES and BG



Holder tools



RM PE solid compensation



Wedge & Wedgekit



Stayplate



ES sealing kit



Welding tools

For detailed information, please visit roxtec.com.

The product information provided by Roxtec does not release the purchaser of the Roxtec system, or part thereof, from the obligation to independently determine the suitability of the products for

Roxtec expressly excludes any implied warranties of merchantability and fitness for a particular purpose and all other express or implied expressions and warranties provided by statute or

common law. User determines suitability of the Roxtec system for intended use and assumes all risk and liability in connection therewith. In no event shall Roxtec be liable for indirect,

consequential, punitive, special, exemplary or incidental damages or losses.

The Roxtec products are offered and sold in accordance with the conditions of the Roxtec General Terms of Sales. The latest version of the Roxtec General Terms of Sales can be downloaded from

https://www.roxtec.com/en/about-us/about-roxtec/general-terms-of-sales/
We reserve the right to make changes to the product and technical information without further notice. Any errors in print or entry are no claims for indemnity. The content of this publication is the property of Roxtec International AB and is protected by copyright.

This document was generated on: 2024-05-01

2/2 2024-05-01